

July 19, 2021

Steve Puleo, Town Planner Town of Windham 8 School Road Windham, ME 04062

Re: Sketch Subdivision Plan Application

Vintage Drive Subdivision PTG Properties Inc - Applicant

Dear Steve:

On behalf of PTG Properties Inc we have prepared the enclosed application and plan for Sketch Plan Review of a proposed amendment to the Vintage Drive Subdivision that was approved by the Windham Planning Board in 2020. The enclosed plans show a minor revision to the location of Vintage Drive and proposed lot lines for the 4 proposed lots. Lots 3 and 4 are proposed to be developed with multi-unit residential dwellings for a total of 30 dwelling units. There is no proposed use for Lots 1 and 2 at this time.

We are currently in the process of evaluating traffic impacts for the proposed development and designing wastewater and stormwater infrastructure improvements. We would like an opportunity to receive feedback from the Planning Office and Planning Board on the overall layout and use so that we may incorporate those suggestions into our design plans.

Upon your review of this information, please let us know if you have any questions or require any additional information.

Sincerely,

DM ROMA CONSULTING ENGINEERS

Dustin M. Roma, P.E.

Dustin Roma

President

# Sketch Plan - Minor & Major Subdivision

Project Name: VINTAGE	DRIVE SUBDIVISION	I	<u> </u>
Tax Map:52 L	ot: 24		
Number of lots/dwelling units: _	30 DWELLINGS	Estimated road length:	550 FT
Is the total disturbance proposed	d > 1 acre?	□ <b>No</b>	
Contact Information 1. Applicant			
	RTIES, INC.		
Mailing Address:75 L	OCKLAND DRIVE, WI	NDHAM, ME 04062	
Telephone:	Fax:	E-mail:	
_		Email:	
	IN ROMA		·
• •		G ENGINEERS	
		M, ME 04062	
Telephone:310 - 0506	o Fax:	E-mail: <u>DUS</u>	IIN@DMROMA.COM
I certify all the information in this my knowledge.	application form and a	ccompanying materials is true a	nd accurate to the best of
Dustin Roma		7-19-2021	
Signature		Date	

	etch Plan - Minor & Major Subdivisions: Submission Requirements	Applicant	Staff
а.	Complete Sketch Plan Application form	X	
b.	Project Narrative		
	conditions of the site	X	
	number of lots	X	
	constraints/opportunities of site	X	
	Outline any of the following studies that will be completed at a future stage:		
	traffic study		
	utility study		
	market study		
c.	Name, address, phone for record owner and applicant	X	
d.	Names and addresses of all consultants working on the project	X	
e.	Evidence of right, title, or interest in the property	X	
f.	Evidence of payment of Sketch Plan fees and escrow deposit	X	
g.	Any anticipated waiver requests (Section 908)		> <
	Waivers from Submission Criteria. Will the applicant be requesting waivers from the "Submission information for which a Waiver May be Granted"?		
	If yes, submit letter with the waivers being requested, along with reasons for each waiver request.  Waivers from Subdivision Performance Standards. Will the applicant be requesting waivers from any of the performance and design standards detailed in Section 911 of the Land Use Ordinance?		
	If yes, submit letter with the waivers being requested, along with a completed "Performance and Design Standards Waiver Request" form.		
า.	Copy of portion of the USGS topographic map of the area, showing the boundaries of the proposed subdivision.		
i.	Copy of that portion of the Cumberland County Medium Intensity Soil Survey covering the proposed subdivision, showing the boundaries of the proposed subdivision.	×	
	Submit initialed form regarding additional fees, from applicant intro packet		
	Plan Requirements		
1	Name of subdivision, north arrow, date and scale	X	
2	Boundary and lot lines of the subdivision	X	
3	Approximate location, width, and purpose of easements or restrictions	X	
4	Streets on and adjacent to the tract.	X	
5	Approximate location and size of existing utilities on and adjacent to the tract, including utility poles and hydrants (if none, so state).	×	
6	Existing buildings, structures, or other improvements on the site	X	
7	Major natural features of the site, approximated by the applicant including wetlands, streams and ponds, floodplains, groundwater aquifers, treelines, significant wildlife habitat and fisheries, and any other important features.	×	

# Warranty Deed Statutory Short Forms Deeds Act ~ 33 M.R.S.A. § 761 et seq.

Gary A. Pitt, Sr. and Brenda S. Pitt, of the Town of Windham, County of Cumberland and State of Maine, with a mailing address of 626 Roosevelt Trail, Windham, Maine 04062, for One Dollar and other valuable consideration paid by P.T.G. Properties, Inc., a duly formed and organized Maine corporation having a business address of 75 Lockland Drive, Windham, ME 04062, do hereby sell, grant, and convey unto the said P.T.G Properties, Inc., its successors and assigns forever, the real property located in Windham, Cumberland County, Maine, bounded and described in Exhibit A attached hereto and incorporated herein by reference.

The deed preparer makes no certification as to record marketable title, a title search not having been made attendant to the preparation of this deed.

Being the same premises conveyed by Gary A. Pitt, Sr. to Gary A. Pitt, Sr. and Brenda S. Pitt dated July 17, 2019 and recorded in the Cumberland County Registry of Deeds in Book 35811, Page 117.

Witness our hands and seals this date: August 30, 2019.

Signed,	Sealed	&	Delivered
In Pros	once of		

- freedh

Gary A. Pitt, Sr.

Brenda S. Pitt

State of Maine Cumberland, ss.

Date: August  $^{3}\mathcal{O}$ , 2019

Then personally appeared the above-named <u>Gary A. Pitt, Sr. and Brenda S. Pitt</u> and acknowledged the foregoing instrument as their free act and deed.

Before me,

Notary Public/Attorney-at-Law

My Commission Expires:

JAMES B. BARNS

Notary Public, State of Maine

My Commission Expires Oct. 25, 2022

Printed Name

# **Exhibit A**

A certain lot or parcel of land with the buildings thereon situated in the Town of Windham on the westerly side of the Roosevelt Trail, so-called, bounded and described as follows:

Beginning at a point on the westerly side of said Roosevelt Trail at the most southerly corner of land of Leo L. Chavarie; thence South 12°30' West three hundred (300) feet to a point; thence North 77°30' West to land of Kenneth Conley; thence northeasterly by said Conley land to land of said Chavarie; thence South 76°38' East by said Chavarie land to the Roosevelt Trail and the point of beginning.

Excepting and reserving from this parcel a certain lot or parcel of land together with any buildings thereon as described in Warranty Deed of Ronald A. Pitt and Goldie M. Pitt to Harry V. Pitt and Caroline L. Pitt dated May 25, 1955 and recorded in Cumberland County Registry of Deeds in Book 2231, Page 92.

This conveyance is made subject to municipal zoning and land use ordinances, utility easements of record, and real estate taxes payable to the Municipality of Windham, Maine for the current fiscal year.

Received Recorded Resister of Deeds Sep 03,2019 10:03:49A Cumberland County Nancy A. Lane




# MAP LEGEND

#### Area of Interest (AOI)

Area of Interest (AOI)

## Soils

Soil Map Unit Polygons



Soil Map Unit Points

### **Special Point Features**

Blowout

Borrow Pit 

36 Clay Spot

Closed Depression

Gravel Pit

**Gravelly Spot** 

Landfill ۵

Lava Flow Marsh or swamp

Mine or Quarry

Miscellaneous Water

Perennial Water

Rock Outcrop

Saline Spot

Sandy Spot Severely Eroded Spot 0

Sinkhole ٥

Slide or Slip

Sodic Spot

â Stony Spot

00 Very Stony Spot

Spoil Area

Wet Spot Other

Special Line Features

## Water Features

Δ

Streams and Canals

## Transportation

Rails ---

Interstate Highways

**US Routes** 

Major Roads

Local Roads

### Background

Aerial Photography

# MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:24.000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Cumberland County and Part of Oxford County, Maine

Survey Area Data: Version 16, Sep 16, 2019

Soil map units are labeled (as space allows) for map scales 1:50.000 or larger.

Date(s) aerial images were photographed: Jun 7, 2019—Jul 2. 2019

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

# **Map Unit Legend**

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI					
HIB	Hinckley loamy sand, 3 to 8 percent slopes	3.4	100.0%					
Totals for Area of Interest		3.4	100.0%					

# **Cumberland County and Part of Oxford County, Maine**

# HIB—Hinckley loamy sand, 3 to 8 percent slopes

# **Map Unit Setting**

National map unit symbol: 2svm8

Elevation: 0 to 1,430 feet

Mean annual precipitation: 36 to 53 inches Mean annual air temperature: 39 to 55 degrees F

Frost-free period: 140 to 250 days

Farmland classification: Farmland of statewide importance

# **Map Unit Composition**

Hinckley and similar soils: 85 percent Minor components: 15 percent

Estimates are based on observations, descriptions, and transects of

the mapunit.

# **Description of Hinckley**

# Setting

Landform: Outwash plains, eskers, moraines, kame terraces,

kames, outwash terraces, outwash deltas

Landform position (two-dimensional): Summit, shoulder,

backslope, footslope

Landform position (three-dimensional): Nose slope, side slope,

base slope, crest, tread, riser

Down-slope shape: Linear, convex, concave Across-slope shape: Convex, linear, concave

Parent material: Sandy and gravelly glaciofluvial deposits derived

from gneiss and/or granite and/or schist

# Typical profile

Oe - 0 to 1 inches: moderately decomposed plant material

A - 1 to 8 inches: loamy sand

Bw1 - 8 to 11 inches: gravelly loamy sand Bw2 - 11 to 16 inches: gravelly loamy sand BC - 16 to 19 inches: very gravelly loamy sand

C - 19 to 65 inches: very gravelly sand

# Properties and qualities

Slope: 3 to 8 percent

Depth to restrictive feature: More than 80 inches Natural drainage class: Excessively drained

Runoff class: Very low

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to very high (1.42 to 99.90 in/hr)

the terrest and the Manneth and October

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Salinity, maximum in profile: Nonsaline (0.0 to 1.9 mmhos/cm) Available water storage in profile: Very low (about 3.0 inches)

# Interpretive groups

Land capability classification (irrigated): None specified Land capability classification (nonirrigated): 3s Hydrologic Soil Group: A Hydric soil rating: No

# **Minor Components**

# Windsor

Percent of map unit: 8 percent

Landform: Kame terraces, outwash plains, kames, eskers,

moraines, outwash terraces, outwash deltas

Landform position (two-dimensional): Summit, shoulder,

backslope, footslope

Landform position (three-dimensional): Nose slope, side slope,

base slope, crest, tread, riser

Down-slope shape: Linear, convex, concave Across-slope shape: Convex, linear, concave

Hydric soil rating: No

# Sudbury

Percent of map unit: 5 percent

Landform: Kame terraces, outwash plains, moraines, outwash

terraces, outwash deltas

Landform position (two-dimensional): Backslope, footslope Landform position (three-dimensional): Side slope, base slope,

head slope, tread

Down-slope shape: Concave, linear Across-slope shape: Linear, concave

Hydric soil rating: No

# **Agawam**

Percent of map unit: 2 percent

Landform: Kame terraces, outwash plains, kames, eskers,

moraines, outwash terraces, outwash deltas

Landform position (two-dimensional): Summit, shoulder,

backslope, footslope

Landform position (three-dimensional): Nose slope, side slope,

base slope, crest, tread, riser

Down-slope shape: Convex, concave, linear Across-slope shape: Concave, linear, convex

Hydric soil rating: No

# **Data Source Information**

Soil Survey Area: Cumberland County and Part of Oxford County, Maine

Survey Area Data: Version 16, Sep 16, 2019