



Town of Windham

Fire - Rescue Department

375 Gray Road
Windham, ME 04062
Business 207-892-1911
Fax 207-892-0544

MEMORANDUM

To : Bob Burns, Town Manager
From : Brent Libby, Fire-Rescue Chief *BL*
Date : July 7, 2026
Re : Capital Project FR-2030-005
Cc : Susan Rossignol, Finance Director

In the Fiscal Year 2027 budget we have a capital project FR-2030-005 approved in the amount of \$465,000 for the purchase of a new ambulance.

Since 2016 we have been working with Autotronics of Madawaska, the authorized dealer for Braun Ambulances and the vender we have purchased that last three ambulances from and had two remounts completed with. I have attached their proposal for a new ambulance that would match our current units exactly.

I am requesting approval to waive the bid process so that we can ensure that all of our ambulances remain the same. I have confirmed with other departments that have made recent purchases from other vendors that our price quote is within the same range. In times of emergency, training and operation having exact copies of these vehicles has proven invaluable for good patient care and operational efficiency. Since our first purchase in 2016 we have received excellent customer support, the Braun product has been superior with minimal challenges. We have successfully remounted two Braun ambulance modules so far saving the entire cost of a new ambulance.

I have attached our price quote dated 7/30/2025 that has been honored by Autotronics and includes the equipment needed to have an in service fourth ambulance. With an immediate order we could expect delivery in May / June 2027. With authorization to waive the bid process I would request permission to contract for the purchase of a new 2027 ambulance, power load stretcher and stair chair with Autotronics of Madawaska.

Thank you for your consideration.



PO Box 535
Madawaska, ME 04756

7/30/2025

2957

Windham Fire Department
Brent Libby
375 Gray Road
Windham, Maine 04062

Kyle

2026 Ford E-450 7.3L Gas 4x2 Braun Chief XL	1	391,700.00	391,700.00
VIN# TBA			
Build # TBA			
CPQ #12030			
Included in Sale:			
- PDI and Delivery to Customer			
- Vanner Inverter			
- LED Driving Light			
Stryker Power-Load System	1	34,000.00	34,000.00
Stryker Power Pro XT-2 Cot	1	37,500.00	37,500.00
Stryker Stair-Chair (Manual)	1	6,000.00	6,000.00
Ford FIN# Discount		-1,200.00	-1,200.00
Repeat Customer Discount		-2,500.00	-2,500.00
Autotronics Discount		-5,000.00	-5,000.00

Please sign and return once proposal is accepted

Subtotal \$460,500.00

Sales Tax (5.5%) \$0.00

\$460,500.00

2075436262

2075437412

www.autotronics.net

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
 OVERALL HEIGHT = 108.5"
 OVERALL WIDTH WITH RUB
 RAILS & FENDERETTES = 98"

AC CONDENSER WITH (5) WHELEN 700 LED
 LIGHTS R/W/R ON THE FRONT OF THE
 SHROUD RED ON EACH SIDE OF THE SHROUD

(4) WHELEN 900 SUPER LED WARNING LIGHTS
 WITH CLEAR LENSES R/RA/RA/R

(5) TECNIQ S330 AMBER
 MINI-LED MARKER LIGHTS

74" HEAD ROOM IN
 INTERIOR OF MODULE

WHELEN 600 AMBER
 LED TURN ARROWS

TOMAR 3x7 TRAFFIC
 EMITTER

ID
 PLACARD

OEM POWER
 ADJUSTABLE
 MIRRORS

(4) WHELEN ION SERIES
 RED SUPER LED GRILLE
 LIGHTS IN HOUSINGS
 WITH CLEAR LENSES

FLASHING HEADLIGHTS W/
 DAYTIME RUNNING LIGHTS

WHELEN 2" WHITE
 LED RUNNING
 BOARD LIGHTS

HIDDEN UNLOCK SWITCH
 IN GRILLE AREA

PRE-WIRE FOR DRIVING LIGHTS

(2) CAST PRODUCTS
 RECESSED 100-WATT
 SIREN SPEAKERS

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

WINDHAM
 FIRE-RESCUE



FRONT EXTERIOR VIEW
 CHIEF XL-III/FORD E-450 CHASSIS-GAS ENGINE


DATE:
 8-5-25
 DWG.
 SSR
 DATE:

DRAWING NO.
 CPQ#12030
 WIND-1

APPROVAL SIGNATURE:

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
 OVERALL HEIGHT = 108.5"
 OVERALL WIDTH WITH RUB
 RAILS & FENDERETTES = 98"
 FLOOR HEIGHT = 33"

74" HEAD ROOM IN
 INTERIOR OF MODULE



THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

WINDHAM
 FIRE-RESCUE



REAR EXTERIOR VIEW
 CHIEF XL-III/FORD E-450 CHASSIS

DATE:
 7-30-25
 DWG. BT REV. NR

DRAWING NO.
 CPQ#12030
 WIND-2

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
 OVERALL HEIGHT = 106.5"
 OVERALL LENGTH = 272.75"
 MODULE LENGTH = 169"

74" HEAD ROOM IN
 INTERIOR OF MODULE

YELLOW KUSSMAUL 20 AMP SUPER
 AUTO-EJECT SHORELINE INLET
 WITH RED INDICATOR LIGHT

TECNIQ S330 RED MINI-LED MARKER
 LIGHT TO ALSO FLASH WITH TURN SIGNAL

(2) WHELEN 900 RED SUPER LED
 WARNING LIGHTS WITH CLEAR LENSES

(2) WHELEN 900 24-DIODE LED SCENE LIGHTS

WHELEN 700 RED/WHITE
 SUPER LED WITH CLEAR
 LENS IN TILT HOUSING

EXHAUST VENT

STREAMLIGHT
 FIRE VULCAN
 LIGHT

125-VAC OUTLET
 WITHIN COMPARTMENT

NON-SKID RUNNING
 BOARD SURFACE

(1) BATTERY UNDER HOOD,
 (2) BATTERIES WITHIN SEALED
 AREA IN COMPARTMENT

WHELEN 700 RED/AMBER
 SUPER LED WITH CLEAR LENS

COMPARTMENT

O.S.S #1

CLEAR OPENING: 58.50h x 18.25w
 INSIDE DIM'S.: 60.25h x 24.25w x 20.75d
 OXYGEN TANK STORAGE - RIGHT SIDE
 (1) SCBA BRACKET/TAPPING PLATE ON
 BACK WALL, LEFT OF OXYGEN TANK
 (2) COAT HOOKS, (1) ON FORWARD WALL
 AND (1) CENTERED ON DOOR

O.S.S #1A

CLEAR OPENING: 16.00h x 18.25w
 INSIDE DIM'S.: 17.50h x 24.25w x 20.75d
 INVERTER PRE-WIRE, SUCTION PUMP, ETC.

O.S.S #2

CLEAR OPENING: 37.50h x 38.50w
 INSIDE DIM'S.: 40.50h x 43.75w x 20.75d
 (2) ADJUSTABLE SHELVES (UPPER SHELF
 REDUCED-WIDTH DUE TO DRAWER RECESS)

O.S.S #3

CLEAR OPENING: 58.50h x 30.75w
 INSIDE DIM'S.: 60.25h x 34.50w x 20.75d
 (1) ANGLED SCBA BRACKET IN BACK RIGHT CORNER
 (BOTTOM OF BRACKET SHOWN 20" FROM FLOOR)
 (1) ADJUSTABLE SHELF ABOVE SCBA
 (2) COAT HOOKS, (1) LOCATED ON FORWARD WALL
 AND (1) CENTERED ON DOOR, BOTH BELOW SHELF

* = RED MINI-LED INSIDE TOP/BOTTOM OF
 #1, #2, & #3 FORWARD-HINGED DOORS

COMPARTMENTS TO HAVE RIDGEBACK LED
 STRIP LIGHTS

COMPARTMENT #1 & #3 DOORS TO OPEN
 120-DEGREES

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

WINDHAM
 FIRE-RESCUE




STREETSIDE EXTERIOR VIEW
 CHIEF XL-III/FORD E-450 CHASSIS

DATE:
 7-30-25
 DWG.
 BT

REV.
 A

DRAWING NO.
 CPQ#12030
 WIND-3

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
 OVERALL HEIGHT = 106.5"
 OVERALL LENGTH = 272.75"
 MODULE LENGTH = 169"



COMPARTMENT

O.S.S #4

CLEAR OPENING: 76.75h x 24.75w
 INSIDE DIM'S. 4A: 77.75h x 15.00w x 20.75d
 BACKBOARD STORAGE WITH (3) UPPER/LOWER
 ADJUSTABLE DIVIDERS WITH GASKET EDGING
 HOOKS FOR SCOOP STORAGE ON LEFT WALL
 INSIDE DIM'S. 4B: 77.75h x 13.50w x 20.75d
 (3) ADJUSTABLE SHELVES WITH INSIDE/OUTSIDE ACCESS
 STAIR CHAIR STORAGE BELOW SHELVES

O.S.S #5

CLEAR OPENING: 31.50h x 24.00w
 INSIDE DIM'S: 33.00h x 28.50w x 20.75d
 (INSIDE WIDTH APPROX. 22.25" ABOVE INTERIOR FLOOR LINE)
 (1) ADJUSTABLE SHELF(LIPS BENT DOWN) OUTSIDE ACCESS ONLY.
 125VAC OUTLET IN UPPER RIGHT CORNER

* = RED MINI-LED INSIDE TOP/BOTTOM OF
 #4, #5, & ENTRY DOORS

COMPARTMENTS #4 & #5 HAVE RIDGEBACK LED STRIP LIGHTS

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

WINDHAM
 FIRE-RESCUE



CURBSIDE EXTERIOR VIEW
 CHIEF XL-III/FORD E-450 CHASSIS

DATE: 7-30-25		DRAWING NO. CPQ#12030
DWG. BT	REV. A	WIND-4

12VDC/125VAC OUTLETS
IN CABINET

OHIO MED OXYGEN OUTLET;
OXYGEN BYPASS VALVE;
SSCOR SUCTION CONTROL.

ELECTRICAL CONTROL SCREEN MOUNTED ON ANGLED
FLIP-DOWN PANEL WITH CHROME LEVER LATCHES.
TECNIQ SILHO LED ACP LIGHT MOUNTED BELOW CABINET #3.

EXHAUST
VENT

12" SS YELLOW
ANTI MICROBIAL
ASSIST
HANDLE

HINGED PARTITION DOOR
IN OPENED POSITION
AGAINST PDQ CABINET

RECESSED
— ALUMINUM
COUNTERTOPS

STAINLESS STEEL
COVERED FLOOR

EVS BACKPACK HARNESS -
SEAT BACK WITH MAXIMUM
UNDERSEAT STORAGE

RECESSED SSCOR
SUCTION CANISTER

125 VAC OUTLETS/12VDC OUTLET/DUAL USB PORT

EVS ATTENDANT SEAT WITH PRO 4 HARNESS
- CHILD SEAT, DBC1870CS4B MOUNTED ON SWIVEL BASE
AND CENTERED WITH THE COT

#1 DOOR OPENING: 19.50h x 17.25w
INSIDE DIMS: 19.50h x 17.25w x 17.25d
(1) ADJUSTABLE SHELF
LIFT-UP POLYCARBONATE DOOR WITH HOLD-OPENS
CENTERED SQUEEZE LATCH
CABINET DOES NOT HAVE CN10 WEIGHT RATING

#2 DOOR OPENING: 12.00h x 27.25w
INSIDE DIMS: 14.50h x 29.25w x 17.25d
(1) ADJUSTABLE SHELF
SLIDING POLYCARBONATE CABINET DOORS
CABINET HAS LIFT-UP RESTOCKING FRAME
TOTAL CABINET WEIGHT RATING = 25 lbs.

#2A DOOR OPENINGS: 22.75h x 16.00w
INSIDE DIMS: 22.75h x 16.00w x 17.25d
RIGHT-HINGED POLYCARBONATE DOOR
CENTER SQUEEZE LATCH, FULL LENGTH HANDLE
(1) ADJUSTABLE SHELF
CABINET DOES NOT HAVE CN10 WEIGHT RATING

#5 = (2) PULL-OUT DRAWERS TOWARDS CPR SEAT
INSIDE DIMS: 3.50h x 11.00w x 16.25d
LOCKING STAINLESS STEEL FLUSH PULL LATCHES
TOP DRAWER TO HAVE A HINGED ACRYLIC WRITING SURFACE
TOTAL DRAWER WEIGHT RATING = 10 lbs. EACH

#6 DOOR OPENINGS: 7.50h x 23.50w
INSIDE DIMS: 7.50h x 23.50w x 17.25d
TOP HINGED POLYCARBONATE DOORS
CENTERED SQUEEZE LATCHES
CABINET DOES NOT HAVE CN10 WEIGHT RATING

#7 DOOR OPENINGS: 24.00h x 13.00w
INSIDE DIMS: SEE DRAWING #7 CABINET #1
RIGHT-HINGED ALUMINUM DOOR
CENTER SQUEEZE LATCH
CABINET DOES NOT HAVE CN10 WEIGHT RATING

#8 DOOR OPENINGS: 13.75h x 14.25w
INSIDE DIMS: 13.75h x 14.25w x 8.00d
RIGHT-HINGED ALUMINUM DOOR
PUSH-BUTTON COMBINATION LOCK AND LOCKING
STAINLESS STEEL FLUSH PULL LATCH.
CABINET DOES NOT HAVE CN10 WEIGHT RATING

CABINETS TO BE ALUMINUM

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.


WINDHAM
FIRE-RESCUE



STREETSIDE INTERIOR VIEW
CHIEF XL-III

DATE: 2-14-25	
DWG. TKD	REV. NR

DRAWING NO.
CPQ#12030
WIND-5



COMPARTMENT

#1 DOOR OPENING: 32.00h x 7.25w
INSIDE/OUTSIDE ACCESS

RIGHT-HINGED POLYCARBONATE DOOR WITH
FULL LENGTH HANDLE AND SQUEEZE LATCH
CABINET WEIGHT RATING = 25lbs

#2 INSIDE SQ. BENCH DIMS. 14.750"h x 42.50"l x 22.25"d

#3 DOOR OPENING: 11.25h x 26.00w

INSIDE DIMS: 11.25h x 26.00w x 17.25d

LIFT-UP POLYCARBONATE DOOR WITH HOLD-OPEN
CENTERED SQUEEZE LATCH

SMITHWORKS IV WARMER ON FLOOR OF COMPARTMENT

12VDC OUTLET ON LEFT (FORWARD) SIDE OF COMPARTMENT
CABINET WEIGHT RATING = 10 lbs.

#3A DOOR OPENING: 6.25h x 26.50w

INSIDE DIMS: 6.25h x 26.50w x 10.25d

TOP HINGED POLYCARBONATE DOORS

CENTERED SQUEEZE LATCH

43" HEADROOM BELOW THE CABINET

EACH CABINET WEIGHT RATING = 10 lbs.


#4 = PULL-OUT DRAWER WITH HINGED ACRYLIC WRITING SURFACE
DRAWER INSIDE DIMS: 4.00h x 13.00w x 18.00d
LOCKING STAINLESS STEEL FLUSH PULL LATCH
TO HAVE LOCKING SLIDES
TOTAL DRAWER WEIGHT RATING = 10 lbs.

#4A = PULL-OUT DRAWER

DRAWER INSIDE DIMS: 4.00h x 13.00w x 18.00d

LOCKING STAINLESS STEEL FLUSH PULL LATCH

TOTAL DRAWER WEIGHT RATING = 10 lbs.



CABINET FORWARD OF SEAT,
FORWARD-FACING VIEW:

CABINETS TO BE ALUMINUM

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.


WINDHAM
FIRE-RESCUE



CURBSIDE INTERIOR VIEW
CHIEF XL-III

DATE:
2-14-25
DWG. TKD
REV. NR

DRAWING NO.
CPQ#12030
WIND-6



74" HEAD ROOM IN
INTERIOR OF MODULE

PATIENT MONITORING CAMERA

24" STAINLESS STEEL
IV POLE REARWARD OF
SEATING POSITION

HEADPAD

CABINET

RED MINI-LED TOP/BOTTOM
OF EACH REAR DOOR

ALUMINUM PANEL
WITH LATCH ACCESS

ALUMINUM PANEL
WITH LATCH ACCESS

FLAT ALUMINUM
COUNTER WITH
ROUNDED CABINET
CORNERS

16" STAINLESS
STEEL ASSIST
HANDLE MOUNTED
AT 45-DEGREE
ANGLE

SS YELLOW
ANTI MICROBIAL
V-BARS

WHELEN 2" LED
STEPWELL LIGHT

RED/WHITE REFLECTIVE STRIP
ON INSIDE OF EACH DOOR

SINGLE GLOVE BOX HOLDER
ON INSIDE OF EACH DOOR

STORAGE IN MID-STEP

ADDED MID-STEP WITH STORAGE

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.


WINDHAM
FIRE-RESCUE



REAR INTERIOR VIEW
CHIEF XL-III

DATE:
2-14-25
DWG. TKD REV. NR

DRAWING NO.
CPQ #12030
WIND-8



THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

WINDHAM
FIRE-RESCUE



FLOOR INTERIOR VIEW
CHIEF XL-III

DATE:
02-14-25
DWG. TKD
REV. NR

DRAWING NO.
CPQ#12030
WIND-9