

From: Jonathan R. Earle
Sent: Wednesday, May 02, 2018 9:38 AM
To: Will Haskell; Amanda L. Lessard
Cc: Douglas Fortier
Subject: RE: 98083.05 Windham Shared Maintenance Facility

Will & Amanda:

Below are my comments regarding the revisions to the Shared Maintenance Facility Project:

- Provide a revised postdevelopment watershed map that includes the revised location of the fuel station. The grading plan clearly shows the footprint is tributary to the Focal Point device, but it would be good to show this on the watershed map as well.
- Though I'm sure very minor in nature, it would be good summarize any minor impacts to water quality and quantity calculations from moving the fuel station. I don't necessarily need the full HydroCAD calcs, but a summary in the cover letter to the Board seems appropriate.
- You make a great point that the project is actually resulting in less impervious and disturbed area with the 75' buffer. Would it be helpful to show this on a plan (or two plans?) to give the Board a visual on the reduced buffer impacts. Not something I need to see or review, just a suggestion.

Any questions let me know.

Jon

Jon Earle, PE
Town Engineer
Town of Windham

Office: (207) 894-5900, ext. 6124
Cell: (207) 212-1802
www.windhammaine.us

From: Will Haskell [<mailto:whaskell@gorrillpalmer.com>]
Sent: Tuesday, May 01, 2018 6:00 PM
To: Amanda L. Lessard
Cc: Jonathan R. Earle
Subject: 98083.05 Windham Shared Maintenance Facility

Hi Amanda,

Five hard copies will be delivered tomorrow. Here is the PDF set of our revised plans showing the relocated fuel station and narrative describing impacts to the stream buffer.

Thank you,

William C. Haskell | Principal



707 Sable Oaks Drive, Suite 30 | South Portland, ME 04106

207.772.2515 x235 (office) | 207.318.7052 (mobile)

www.gorrillpalmer.com